Product Handling Information Sheet



GEHR PPS[®] GEHR PPS-40GF[®]

1. Manufacturer

GEHR GmbH Casterfeldstraße 172 68219 Mannheim Deutschland

Tel. +49 621 8789-0 Fax +49 621 8789-200

Info@gehr.de www.gehr.de

2. Product description

Article: Engineering semi-finished product

Abbreviation PPS, PPS-40GF

Material characterisation Thermoplastics

Main components Polyphenylensulfide

contains event. pigments, glass fibres, stabilizers and additives

Marking obligation components none

Classification according REACh Product

3. Product properties

Form / condition Rods, sheets / solid

Colour natural, black

Odour odourless

Density $1,34 - 1,65 \text{ g/cm}^3$

Melting temperature 280 °C

Thermal decomposition > 370 °C

Ignition temperature > 480 °C

Solubility in water insoluble

Risks no special risks for humans or animals

Possible decomposition products strong oxidizers

Product Handling Information Sheet



4. Handling and storage

Machining

The product can be machined with standard machinery and tools.

Before machining the product should be stored at room temperature 24 h. Reinforced products with glass fibers (round rods from

ture 24 h. Reinforced products with glass fibers (round rods from 80mm and plates from 50mm thick) should be preheated before sawing or drilling. We recommend heating the materials to 90-120 °C at a heating / cooling rate of approx. 10 °C / h.

Evacuate swarf to prevent slipping or tripping.

Observe the maximum allowable concentration of dust and formaldehyd levels on the working area which apply in your country. Wear safety goggles during machining. General dust limit value: Respirable dust (6 mg/m³); Inhalable dust (10 mg/m³). Free glass fiber or dust may cause irritations. Little or no exposure based on

inhaling fibers are expected.

Storage The products shall be stored indoor to keep away from any source

of degradation such as sunlight, UV-jets, ionizing radiation, chemi-

cals, ...

Safety measures the general industrial safety measures should be considered. A

thermal damage during machining should be avoided.

5. Fire-fighting measures

Suitable extinguishing agents Water, foam, dry chemical, carbon dioxide (CO₂).

Potential combustion products Carbon dioxide (CO₂), carbon monoxide (CO).

Formation of further decomposition and oxidation products depend upon the fire conditions. Under special fire conditions traces of

other toxic substances are possible.

Special protective equipment Wear a self-contained breathing apparatus. If exposed to combus-

tion fumes bring the victim into fresh air.

Further information Dispose of fire debris and contaminated extinguishing water in

accordance with official regulations..

6. Disposal considerations

European waste catalogue According to the "European Waste Catalogue and Hazardous

Waste List" uncontaminated waste from the products is not classi-

fied as hazardous.

Following code numbers can be used:

070213 waste plastic from manufacture, formulation, supply

and use of plastics,

120105 plastic shavings and turnings

plastic, from end-of-life vehicles from different means

of transport and wastes from dismantling of end-of-life

vehicles and vehicle maintenance

170203 plastic construction and demolition wastes

200139 plastics from municipal wastes

Waste disposal If recycling is not possible, waste disposal by landfill or incineration

in compliance with state and local regulations.

The product do not contain pigments or stabilizers based on cadmium. The product is not biologically degradable, but based on the

Date of issue: 19.02.2019 PPS_eng 2021.doc Page 2/3

Product Handling Information Sheet



present state of knowledge no negative effects on the environment may be anticipated.

7. Marking and guidelines

Marking in accordance with EEC guidelines

Not subject to labelling

Other guidelines none

Transport regulations Not classified as hazardous good under transport

regulations

8. Other information

According EG directive 1907/2006/EG (REACh), our products are clearly defined as articles, exempt from registration. The European regulation (EV) about chemicals, which came into force June 1st 2007, prescribes Material Safety Data Sheets (MSDS) only for dangerous substances and preparations. According REACh we are manufacturing articles and we are not required to issue MSDS.

All above mentioned information are based according to today's state of knowledge and supply no warranty of quality. Existing laws and regulations have to be observed by the recipient of our products on his own authority.